

RODHA KHALID PAINTS

PARTICIPATION INDUSTRIAL AREA - AL ATTIYA ROAD **DOHA-QATAR**

6 +974 44310464

6 +974 40374332

6 +974 44439935

+974 44275915

✓ rodhakhalidpaints@gmail.com

✓ rodhakhalidpaints@yahoo.com

www.rodhakhalid.com

ABOUT US

Rodha Khalid Paints is well known and respected as one of the leading suppliers of world class plumbing products in the State of Qatar. It's a reputation earned through a total dedication to quality and customer service that's been the hallmark of the company since it was established in the year 1986. Since its inception, Rodha Khalid Paints has been part of most of the prestigious projects in Qatar and was instrumental in providing state of the art solutions in plumbing applications. We at Rodha Khalid Paints aspire to provide the best construction products and integration services to the building and construction industry of this country.

ISO 9001:2015 Certified

To fulfill our commitment to adhere to global standards. Rodha Khalid Paints has been ISO certified. We are further committed to achieving customer satisfaction using quality procedures which are operated to meet or exceed the requirements of ISO 9001.

Quality Assurance

Rodha Khalid Paints has heavily invested in quality and prides itself in delivering highest standards of products and services throughout Qatar and the other parts of Middle East. The Company has developed its expertise since its establishment and its aim is to sustain and raise the bars of quality of deliverables to the construction industry.

Service

It is the policy of Rodha Khalid Paints to provide total value for money and satisfy the customers with goods and services to the agreed require ment in accordance with the details and price. The company believes that its market expects a continually improving service. We aim to continually improve the service we provide to meet the client's requirements and to provide solutions that we can justifiably be proud of.

Why choose Rodha Khalid Paints

Rodha Khalid Paints started its operations 35 years ago in the capital city of the State of Qatar, Doha and has been the most preferred supplier of building, infrastructure materials and sanitary ware in the country ever since. From the very inception in 1986, Rodha Khalid Paints has been a market leader in the construction industry with satisfied customers, con tractors and consultants. Over the years it has gained reputation in the market as an efficient supplier and exclusive partner for well-known international brands, conforming to the highest standards of quality and perfor mance. Some of the international brands represented by us are Pegler Valves, Yorkshire Tubes and Fittings, Stuart Turner Pumps, Thermex and Ariston water heater etc.













































































































Index

PEGLER VALVES	01
■ YORKSHIRE FITTINGS - ENDEX & SOLDERING	02
© COPPER PIPES - YORKSHIRE & MUELLER	03
© COMPRESSION FITTINGS - CONEX & RKC	04
PPR PIPE & FITTINGS - K AQUA-DIZAYN- PVC FITTING SUPREME	05 - 07
PRESSURE VESSEL - VAREM	08
WATER METER - B METER	09
TESTING PLUG - BAILEY	10
water pumps - sistema - rafello - espa - stuart - grundfos	11 - 15
® WATER HEATER - THERMEX - ARISTON - SUNEX - RHEEM	16 - 19
PVC FITTINGS ERA - PVC, HIGH PRESSURE, PPR, POLYTHENE, ELECTRICAL	20 - 21
MIXERS - EURORAMA-ARMAMIX -GROHE -HESSE	22 - 25
FILLOW HOSE - EUROFLOW	26
© CISTERN WC TANK - DUDLEY	27
■ FLOAT SWITCH - AQUA SWITCH	28
B HP PRESSURE FITTINGS & VALVES - CEPEX	29
FLEXIBLE HOSE & SHATTAF - TUCAI - IDROSPANIA	30
© TILES	31
■ FLOOR DRAINS - EUMEL	32
® PPR MACHINE - ERAL	33
® WC FITTINGS & SHATTAF - MEGA	34
SANITARY WARES - TOP ANCHOR - DOLAVIS	35 - 36
GI FITTINGS AND PIPES	37
® MAN HOLE COVERS	38
RUBBER INSULATION	39
PAINTS	40 - 41
® SEAT COVERS - PATEL - HARO	42 - 43
WATER & ELECTRIC CABINETS - QATAR	44
ADHESIVES	45
WATER FILTER & CANDLES - AQUAFILTER - HESSE	46 - 47
SHOWER HEAD AND SETS - HESSE	48- 49
WC FITTINGS - HESSE	50 - 51

Index

RKC	SHATTAF & SHOWER HOSE - HESSE	52
RKC	BATHROOM ACCESSORIES - HESSE	53
RKC	ANGLE VALVES & TAPES	54 - 55
RKC	SOAP DISPENSER - HESSE	56
RKC	BATHTUB & SHOWER TRAYS - HESSE	57
RKC	SEAT COVERS - HESSE	58
RKC	PRESSURE CONTROL, GUAGES , TEFLONE TAPES, HESSE	59
RKS	GI THREADED RODS , CLAMPS , CP FITTINGS	60
RKC	BRASS FITTINGS & VALVES - HESSE	61
RKC	KITCHEN SINK - HESSE	62
RKC	ELECTRICAL, HARDWARES & MACHINERY	63
RKC	AQUA ECO BATH FITTINGS & ACCESSORIES	64 - 66
RKC	MIX PRODUCTS	67
RKC	CERTIFICATES	68 - 69



Distributor Certificate

Pegler Yorkshire
Group Limited
are proud to appoint
Rohda khalid company
Qatar
as an officially approved
distributor of
Pegler Valves



Pegler Yorkshire Group Limited is Registered in England No. 00401407. Registered Office: Heigh Park Rised, Stourton, Leeds, West Yorkshire, LS10 1RT.



Gate Valve | Ball Valve | Float Valve | NRV Brass Spring Foot Valve | Angle Valve | Hose Bib Tap









ENDEX AND SOLDERING FITTINGS



























COPPER PIPES



















COMPRESSION FITTING

























PPR PIPE & FITTING

















Istanbul. 13.05.2019

TO WHOM SO EVER IT MAY CONCERN

We Dizzyn Teknik Boru ve Elemanian San, Tic A.S. Manufacturer of PPRC, PPBI and PE Playes fittings under the brand name of "DiZAYN GROUP" hereby certify that Mys RODHA KHALID COMPANY is one of distributors of "DiZAYN GROUP".

This is for your information.

Yours troly,




Atartirk Mah. Adaan Mendeces Cad. No. 6 34522 Esesyurt. Istanbal-TURKEY T1 +90 (212) 886 5741 F1 +90 (212) 886 5193 Week dizayagroup.com

A TECHNOLOGY WITH NO SLOWING DOWN BY THE CURVES

30% EASIER WATER FLOW BY SPECIAL DESIGN

UNIQUE TECHNOLOGY IS ONLY WITH DIZAYN





































Hot and Cold Water System

The most reliable plumbing system



Fittings



Coupler



Elbow 90°



Reducing Elbow



Elbow 45°



Female Threaded Elbow 90° with supporting devic



Threaded Plug



Union



Reducer Female/Female



End Cap



Female Threaded Elbow 90°



Female Threaded Joint (FTA)



Male Threaded Joint (MTA)



M.T.A. (Plastic)



Union - Male Threaded (SxMT)



Concealed Valve



Screw Tap with Handwheel





AQUAVAREM

PRESSURE TANKS WITH DIAPHRAGM MEMBRANE



PRESSURE TANKS

Quality solutions for all volumes

-10 +99 °C	Codice stand.Cap	acità	Pressione max	Raccordo	Dimensioni	Imballo	Qtà/palle
	Std. Code	Capacity	Max. pressure	Connection	Dimensions	Packaging	Qty/pallet
		lt	bar	inch	mm	m ³	n.
	S2005361CS000000	5	8	1′	160x332	0.010	210
	S2008361CS000000*	8	8	1′	200x348	0.015	144
	S2012361CS000000*	12	8	1′	270x308	0.024	84
T	S2019361CS000000*	19	8	1′	270x415	0.031	63
	S2020361CS000000	20	8	1′	250x500	0.038	56
	S2024361CS000000*	24	8	1′	351x358	0.045	54
	S2025361CS000000*	25	8	1′	290x472	0.041	63
	S2040361CS000000*	40	8	1′	320x595	0.066	36
	US050361CS000000	50	10	1′	379x759	0,126	15
	US060361CS000000	60	10	1′	379x825	0,131	15
	US080361CS000000	80	10	1′	450x789	0,170	15
	US100361CS000000	100	10	1′	450x910	0,200	15
- 20	US150461CS000000	150	10	1′1/2	554x1040	0,340	8
	US200461CS000000	200	10	1′1/2	554x1250	0,407	8
	US300461CS000000	300	10	1′1/2	624x1370	0,596	6
	US500461CS000000	500	10	1′1/2	790x1460	0,900	1
	US750461CS000000*	750	10	1′1/2	786x1925	1,300	1
	USN10H61CS000000*	1000	10	2′	945x1912	1,900	1
	S3N15H61CS000000**	1500	10	2′	1150X2080	3,020	1
	USN20H61CS000000*	2000	10	2′	1280x2080	3,720	1
	S3N30H61CS000000**	3000	10	2′ 1/2 F	1250x2710	4,500	1



WATER METER





















BAILEY" RANGE OF DRAIN TEST PLUGS

For popular sizes/Part numbers please see over



Bailey Products Liverpool street, England, B9 4DS

Visit Web Site www.bailey-products.com



WATER PUMP





ELETTROPOMPE VOLUMETRICHE

VOLUMETRIC PUMPS

ELETTROPOMPE CENTRIFUGHE

CENTRIFUGAL PUMPS MONOGIRANTI SINGLE IMPELLER



TDP 300/S

ELETTROPOMPE

SOMMERSE PER DRENAGGIO SUBMERSIBLE DRAINAGE PUMPS

TDP 400-800/S



ELETTROPOMPE SOMMERSE INOX

PER ACQUE CARICHE STAINLESS STEEL SUBMERSIBLE PUMPS FOR DIRTY WATER






RAFELLO WATER PUMPS



QUALITY PUMPS SINCE 1977



No.	Description	Material
1	Release Valve	Brass
2	Impeller	Brass
3	Mechanical Seal	SiC/Carbon/SS304
4	O-ring	Rubber
5	Connection	Cast iron
6	Reinforced Seal	Rubber
7	Shaft	SS304/45# Steel
8	Bearing	Ball Bearing

No.	Description	Material
9	Wound Stator/Rotor	Silicon Steel/Copper
10	Motor Case	Aluminum
11	Support Foot	Plastic
12	Back Cover	Cast iron
13	Reinforced Seal	Rubber
14	Fan Cover	Aluminum
15	Fan	Plastic
16	Through Bolt	Steel

No.	Description	Material
17	Terminal Box	Aluminum
18	Terminal Board	Plastic
19	Impeller Key	Iron
20	Water Deflector	Rubber
21	Connection Bolt	Steel
22	Impeller Nut	Galvanizated Steel
23	Pump Case	Cast iron









RTP2





WATER PUMP

















POWERING WATER FOR EVERY APPLICATION





























WATER PUMP GRUNDFOS

WHEN CUSTOMISATION, MODULARITY, AND RELIABILITY ARE KEY



be think innovate GRUNDFOS X







TO WHOM IT MAY CONCERN

Subject: Authorization Letter

We, Ariston Thermo SpA, hereby would like to inform that M/s. RODHA KHALID COMPANY is one of our main authorized distributors who is working for ARISTO+ electrical heating system

Contact Details:

RODHA KHALID COMPANY


Note: This certificate is subject to renewal every 6 months as per ARISTON THERMO GROUP y, and the validity starts from the above mentioned date.

n at your complete disposal for any more information you may require.

Ariston Thermo SoA Middle East Branch

Ariston Thermo SpA Middle East Branch

Ariston Thermo Sp.A. Aristole Menton: 45: 600.44 Fabriano (AN), T. (+38), 0732-602331



WATER HEATER

High-efficiency electric and gas-fired water heaters. Up to -20% energy consumption compared to traditional water heaters.



ADVANCED PERFORMANCE

TITANSHIELD TECHNOLOGY

50 lr, 80 lr, 100 lr









The new degree of comfort.™

SOLUTIONS

Reliable & energy efficient water heaters for all applications







POLYTHENE COMPRESSION

















ELECTRICAL FITTINGS



































































MIXER TAPES



































MIXER TAPES



































MIXER TAPES

































- High level Dudley Diplomat with chain
- Internal parts comply Approved by BMA with Regulator's Specification.
- Dudley Turbo 88 syphon for simple servicing.
 - Water Label Scheme.


■ Ideal for use in light to medium duty domestic and commercial


Features

- Traditional styling.
- Cistern body in high density polystyrene.
- Side inlet.
- Internal/external overflow warning.
- Internal parts comply with the Regulator's Specification.
- WRAS approved one piece Dudley
- Black and white low level models come with white lever as standard. Options Coloured models come with chrome plated lever. High level options supplied with chain pull.
- Suitable for high level, low level and close-coupled installations.

- 6/7/9 litre convertible full flush.
- Dudley Duoflush delivers watersaving reduced flush when lever is held down and full flush when lever is depressed and released.
- Approved by the Bathroom Manufacturer's Association Water
- Supports Code for Sustainable Homes and BREEAM.

- White, black or coloured cistern body.
- Dudley Hydroflo quiet inlet valve.
 - Delay fill Hydroflo inlet valve that only allows cistern to start refilling once flushing is complete.
- Dudley Turbo 88 Duoflush syphon for servicing in under 5 minutes without disconnecting the water supply and dismantling the cistern.
- Bottom inlet.



























CEPEX

BALL VALVES AND HP FITTINGS






















FLEXIBLE HOSE & SHATTAF























PPR MACHINE

















SHATTAF & WC FITTINGS































SANITARY WARES (TOP ANCHOR)





















Box Packing

























Made In China

(

GALVANIZED PIPES & FITTINGS & RUBBER EXPANSION JOINT









































MANHOLE COVER



























RUBBER INSULATION


















Z-F	LEX	COPPE	R PIPE	IRON	I PIPE			TUBE LE	NGTH 1.8	33 METE	ers (Stan	DARD)					
Nominal Insulation Size ID		Numinal Size OD		Nominal Size IPS		Nominal 6 mm wall		Frominal From wall		tiontinal 12 mm wall		Nominal 19 mm well		Nominal 25 mm wall		Hominal 32 mm wall	
mm	inch	mm	lech	mm	inch	Taker Bee	Been.	Total Biss	Marter! Blear	Take Box	Distant Dear	Tuber Book	Maner See	Tribal Hess	Motor! Box	Yubai Bee	Box
(4)	1/4	16	176	88		185	3254	108	107.44	110	1647	36	908	55	His	336	<u>034</u>
4	2/8	0	1/8	89	1000	170	311.0	130	217.0	80	146.4	40	73.2	25	45.75	25	46.7
13	112	111	1/2	UA:	144	310	2745	333	20040	-65	318.25	413	712	25	45,73	20	-36
167	5/9	196	5/8	10	3/0	120	219.6	90	947	-50	109.8	35	545	25	45.75	20	26
195	3/6	106	3/4	100	IBI	100	(190)	76	120.00	45	(0.1)	30	548	20	30.4	10 M	225
72	7/8	22	7/8	13	1/2	20	146.4	70	376T	40	712	30	548	20	36.6	15	27.4
25	20000	25	in the	100	Section	70	DAY	38	100.65	40	(20)	25	21,75	28	364	15.	920)
78	1-1/8	130	1/1/8	19	5/4	60	109.8	55	100.83	.16	55.86	25	45.75	18	52.94	15	17/
12.	1-174	32	1-105	SE	io.	200	MORE	All	712	30	81	39	MA	23.	37,46	- 15	27)
35	1-3/8	35	1-3/8	25		30	91.5	36	65.88	30	54.9	20	Ms	35	27.45	12	213
36	1:1/2	35	11/2							34	4132	12	3121	10	21.96	(1)E	211
42	1-5/8	42	1-578	12	1-1/4	(96)	[[2]	30	543	25	45.75	12	3111	12	21,96	10	18.
45	1.7/8	1746	17%	28	1:1/2	8	III)	25	925	20	SHE	13	27.65	in	14.3	10	H
31	2	-51	2	KE.	100	100		TEST		20	358	15	27,41	9	1647	9	16.4
54	2-1/6	34	2-1/6		[B	881		25	0.75	20	H	15	2741	1	16.43	(4)	/BJ
60	2-3/8	60	2-3/8	-51	2	Œ	[50]	20	36.6	18	32.4	12	21,96	9	10.47	.0	10.9
167	25/9	67	238		B		53	(19)	32.94	15	1246	(1)t)	(15.0)	1	1434	06	193
73	2.28	28	2.7/8	1	10		190	16	32,94	13.	27.85	10	183	5	10,98	4	2.3
16	9	显现	370	+			-	70	32.64	12	21.W	10	78.8	#	10,98	4	7.5
78	3-1/8	79	\$1/8	14		8		18	27,45	12	23.96	10	183	-6	10.98	4	72
25	31/3	80	3-1/2	n	1		2247	li XX	27.45	10	93	A	1454	贈	20.10		123

	Physical Properties			
1	Cell Structure	Closed	297	N.
2	60 - 75 Kg/ml	Density (Kg/m)	85 476 PM1 6 8 7 ASTM D 3575- 81	
3	Thermal Conductivity K Value at 40C muon Temperature	0.0238 w/m - K	ASTM CS18	05 874 1086
4	Temperature limit ^U C	-40 °C to +120 °C	9	
5	Thermal Stability % Shrinkage	7.54 (7 days at 95%)	ASTM03575-91	
6	Water Absorption	2.98	ASTM03575-91	
7	Water vapor Permeability perm/Max	0.00 Perm - in	ASTM £ 95.95	ASTM E 96-95
8	Resistance to Ozone	Excellent	ASTM D 1149	1
W)	Hammability	Self Extinguishing	ASTM0635-91	
10	Fire Rating	Class 0, Class 1 25 / 50	AS 476 Part 6 & 7 ASTM E-84	
n	Average time of Burning	Less theri 4 Sec	A3TM 0 1149	-
12	Average extend of Surning	15min	4	Ť-
13	Flexibility	Excedent	ASTM0 1056-85	
14	Resistance to Weather& Ultra Violet Rays	Very Good	ASTM G 53-96	
19:	Resistance to Chemicals	Very Good	(V)	
16.	Odour	Negligible	SAEI 1851	-
17	Mildew resistance	No Fungat Growth	ASTM G 21-80	
18	Copper Corradion	Negligible	ASTM C 665-94	7





SEAT COVER AND CISTERN TANK












































SEAT COVER













ELECTRICAL CABINET




















WATER METER CABINET







ADHESIVES























The Clear Choice Water Filtration Systems







































Made In China







Made In Europe















































SHOWER HEAD & SHOWER SET SERIES











H-0228"
Functions



H-0218 Functions



SHOWER HEAD & SHOWER SET SERIES







H-1099 Functions



H-5006 Functions



HC-1001 Functions



H-5097 Functions



H-642-B11 3





HESSE

WC FITTINGS































HESSE

WC FITTINGS



















SHATTAF AND SHOWER HOSE























BATHROOM ACCESSORIES





ANGLE VALVES & TAPS



ANGLE VALVES & TAPS



HESSE

BRASS ANGLE VALVES WITH FLANGE



HESSE

DOUBLE BRASS ANGLE VALVES WITH FLANGE



HESSE

QUICK TURN ANGLE VALVE WITH FLANGE SS



HESSE

ETTO



HESSE

QUICK TURN DOUBLE CHROME PLATED



HESSE

QUICK TURN DOUBLE CHROME PLATED



HESSE

SS COVER FLANGE

ETTO SOAP DISPENSER


























Tissue dispenser



BATHTUB AND SHOWER TRAYS











TOILET SEAT COVER





(Normal Close) Material: PP Size: 430 x 360mm Inner ring: 277 x 234mm Adjustable length: 420-440mm















Item No.: HSC-070

(Soft Close and quick release) Material: PP Size: 470 x 365mm Inner ring: 298 x 222mm Adjustable length: 460-480mm















Item No.: HSC-026

(Soft/Normal Close) Material: PP Size: 420 x 335mm Inner ring: 270 x 205mm Adjustable length: 415-430mm















Item No.: HNC-009

(Normal Close) Material: PP Size: 440 x 380mm Inner ring: 390 x 240mm Adjustable length: 430-450mm

















Auto Pressure Control horizontal



Float Switch







PRESSURE GAUGE

Stainless steel body - Brass threaded







HESSE

TEFLON TAPE



TEPNOX



GI THREADED ROD, CLAMPS & CP FITTINGS





CP FITTINGS



CP NIPPLES



THREAD RODS



GI FITTINGS



HOSE CLIP



GI CLAMPS







GI FLEXIBLE CONNECTOR



HESSE BRASS VALVES AND FITTINGS







































HESSE BRASS VALVES









GATE VALVE BALL VALVE TANK CONNECTOR BIB TAP







BIB TAP

HOSPITAL CLAMPS

FLOAT VALVES





KITCHEN SINK





























ELECTRICAL & HARDWARES & MACHINES


































AQUAZONE

THE PROFESSIONALS' CHOICE



BATH FITTINGS

























































BATH FITTINGS







































MIX PRODUCTS



CERTIFICATES









CERTIFICATES











RODHA KHALID PAINTS "Conquering Excellence"...



- **a** +974 44310464
- **8** +974 40374332
- **+974 44275915**
- © rodhakhalidpaints@gmail.com